



DABUND PIPE

Changzhou Dabund Pipe CO.,LTD

Changzhou Dabund Pipe CO.,LTD is one professional manufacturer and trading company of the Refrigeration industry products in Changzhou city Jiangsu PRO. It is in the center of Yangtze river delta, only 1 hour to Nanjing and Shanghai by train, convenient transportation. And our office is in Wanda plaza Xinbei district, it is convenient for work and live. Our factory is in the Industry park Wujin district.

Our main product has aluminum tube, alloy A1050/1060/1070/3003/3A01/3103; Pancake coil tube, we have aluminum pancake coil, copper pancake coil and copper-aluminum connecting pancake coil. The length has 3m, 4m, 5m,6m, 9m,15m, 20m, 25m, 30m, 50m; Straight tube, aluminum straight tube, the mini length is 103mm,biggest is 15000mm;Air conditioning connecting pipe, we can match them and pack them together for you, and we have 3 kinds of insulation material, gray, black and white color. Copper-aluminum connector pipe fitting, aluminum pipe fitting, copper pipe fitting and copper-aluminum connected fitting. And many bending tube, cross tube, U type tube, drawing tube, accumulator, dryer etc. And some other parts in refrigeration and air condition, like thermostat, cored wire, remote control, air conditioning unit holder etc. 90% of our products are used for air conditioner and refrigerator, evaporator, condenser, and heat exchanger, the HVAC&R system. And another 10% is used for oven and burner, as the gas transportation, usually the alloy will be 3003,3103.

We exported to many countries, like South Asia, South Africa, Middle East, North America, Latin America and so on. We are mainly doing export, very small domestic market. So we are keeping the good quality and competitive market price to win many markets. High-quality, high-communication, high-Efficiency and Win-Win are our core culture. Welcome you come to our company at any time.

DABUND FACTORY

We produce high quality air conditioner copper pipe, mini split copper and aluminum pipe and insulated copper line sets.



Insulated Copper & Aluminum Pipe


The insulated copper-aluminum pipe is mainly composed of copper and aluminum. The technology of the copper-aluminum pipe welding part is called resistance welding. The copper pipe lock is inserted into the copper pipe of the corresponding size and placed in the mold on the machine for welding. This technology is very mature and will not be easily damaged. Please rest assured to buy DABUND PIPE insulated copper-aluminum pipe.



Aluminum



Resistance Welding



Aluminum and Copper Pipe

Insulation pipe has white embossed insulation pipe and black rubber pipe



White PE embossed insulated pipe

Features of white embossed insulation pipe:

OUTER LAYER-Anti-aging, UV-resistant PE film, wear-resistant embossed pattern, anti-aging.

MIDDLE LAYER-IXPE foam, dense cell, heat and cold-resistant, impact absorption, no water penetration, good thermal insulation. Water cross-linked PE foam.

INNER LAYER-Closed-cell structure, air tightness; good thermal insulation, temperature resistant -60°C~120°C.



Rubber insulated pipe

Features of rubber insulation pipe:

Pipe Insulation, Material Polyethylene, Pre-Slit, Temp. Range -160 Degrees to 200 Degrees .

The pipe insulation has a better function of moisture condensation. Insulation material is both the insulation layer and moisture-proof layer. There is no need to drop the water vapor permeation protective layer so that it has a better moisture condensation function.

The pipe insulation tubing is made of rubber and plastic which holds very tight and you do not feel tired when operate it.

Copper and Aluminum Pipe

The black layer on the outside is a PVC plastic pipe, its function is to protect the aluminum pipe.



Insulated Copper & Aluminum Pipe

Size	Length	Insulation pipe
1/4+3/8	3m/5m/7m/10m	8mm/9mm/10mm/13mm/19mm/25.4mm
1/4+1/2	3m/5m/7m/10m	8mm/9mm/10mm/13mm/19mm/25.4mm
1/4+5/8	3m/5m/7m/10m	8mm/9mm/10mm/13mm/19mm/25.4mm
3/8+3/4	3m/5m/7m/10m	8mm/9mm/10mm/13mm/19mm/25.4mm
3/8+5/8	3m/5m/7m/10m	8mm/9mm/10mm/13mm/19mm/25.4mm
1/2+3/4	3m/5m/7m/10m	8mm/9mm/10mm/13mm/19mm/25.4mm
3/8+7/8	3m/5m/7m/10m	8mm/9mm/10mm/13mm/19mm/25.4mm

1/4 + 1/2 copper and aluminum line set, commonly used for 1TON BTU and 1.5TON mini split air conditioning.
1/4 + 3/8 air conditioner copper and aluminum line set, used for 0.75TON and 1TON mini split air conditioner.
1/4 + 5/8 insulated copper and aluminum line set used for 2TON air conditioner system.
3/8 + 5/8 mini-split line set apply for 2.5TON ductless mini split air conditioner.
3/8 + 3/4 copper and aluminum pipe kit used for 3TON BTU split air conditioner installation.

Copper and aluminum pipe kit 1/4 + 1/2, commonly used for 1.5P and 2P mini split air conditioners.
1/4 + 3/8 air conditioning copper and aluminum line sets, used for 1P and 1.5P split air conditioning.
1/4 + 5/8 insulated copper and aluminum line set used for 3P air conditioner system.
3/8 + 5/8 mini-split copper and aluminum line set apply for 4P ductless mini split air conditioner.
3/8 + 3/4 copper and aluminum pipe kit used for 4.5P split aircon installation.

All copper and aluminum line set 1/4 + 1/2 , commonly used for 12000 BTU and 18000 BTU mini split air conditioners.
1/4 + 3/8 air conditioning line set, used for 9000BTU and 12000 BTU split air conditioner.
1/4 + 5/8 insulated copper and aluminum line set used for 24000 BTU air conditioner system.
3/8 + 3/4 line set kit used for 36000 BTU split air conditioner installation.
3/8 + 5/8 mini-split line set apply for 30000 BTU ductless air conditioner.

High quality copper and aluminum line set 1/4 + 1/2 , commonly used for 12K and 18K mini split air conditioners.
1/4 + 3/8 aircon copper and aluminum line set, used for 9K and 12K split air conditioner.
1/4 + 5/8 insulated copper and aluminum line set used for 24K air conditioner system.
3/8 + 5/8 mini-split line set apply for 30K ductless air conditioner.
3/8 + 3/4 line set kit used for 36K split air conditioner installation.

Exhibition

We go to all parts of the country to participate in exhibitions, just to facilitate customers to experience our high-quality mini-split line set at close range.



FAQ

1.Q:What is your payment terms?

A:TT,L/C AT SIGHT,CREDIT CARD etc

2.Q:What is your delivery terms?

A:EXW, FOB, CFR, CIF etc

3.Q:Are you trading company or manufacturer?

A:Manufacturer

4.Q:May I get a sample?

A:Yes, we can send you 3pieces **free samples**.

You just charge for the express cost is ok.

5.Q:Can I print my logo?

A:Yes of cause, we accept OEM and ODM.

6.Q:How long is your delivery time?

A:Usually 15-20days, if urgent, we can arrange to do in advance and delivery fast.

Contact us



Sales Manager: Amy song

Email: amysong@dabund.com

Tel/WeChat/WhatsApp: 0086 15151937157

Website: www.dabund.com

Address: NO.B2-1006 Room, Tianan Cyber Park Wujin High-Tech Zone,
Changzhou City Jiangsu PRO. 213000 China